

Metropole Tiles Pvt. Ltd. • Metrocity Tiles Pvt. Ltd. • Metroworld Tiles Pvt. Ltd. • Metro Ceramics

METROPOLE TILES PVT.LTD.

8-A, National Highway, Lakdhirpur Road, Morbi - 363 642. Gujarat. India.

© +91 9898092843, Toll free: 1800 123 8180

e-mail: sunilmetropole@gmail.com, metropoletiles@gmail.com

www.groupofmetro.com













THE BEAUTY WITH NOVELTY

Welcome to the beautiful world of Metro

The tiles company that wrote a new chapter of success and progress through path breaking creativity and innovative thinking. Always the believer of paving a new way, Metro has always been a trendsetter rather than the follower. The group has given its

customers unique tiling concepts that delight their hearts and beautify their spaces. With a humble beginning more than two decades ago, Metro Group has come a long way thanks to its strong foundation laid by Mr. R.L. Patel and strengthened by next generation visionaries Mr. Shekhar Patel & Dilip Patel. The saga of commitment, passion and dedication continues with third generation filled with zeal and new vibrancy. Today the group stands as a successful metaphor for Tradition meets the Technology. Metro Family

started its journey more than two decades ago. After conquering many


milestones of success, the group is still hungry to explore new avenues of excellence. This craving, this yearning for exploration of better ideas is the secret behind the constant evolution of the group. Day by day...the group is inching a little more towards more success through intelligent use of technologies and bringing bright ideas in practice. Always thinking with fresh approach, the group is a glorious story of how passion and commitment takes you towards your dream..



800x800mm Digital Vitrified Tiles

Luxury & Grandeur couldn't be mistaken from far away, as Marmoreal Collections are here to set new trends. Surely, not only is it a replacement for Marble tiles, but with fusion of technology & creativity, it shall be the mainstay of interior & exterior decor. Surface colors and designs have been sourced from the most exquisite marble quarries throughout Italy and Southern Europe and as they are applied on such tiles, the resultant product possesses uniqueness unlike any.

Available: POLISHED | HIGH GLOSS | MATT FINISH | LAPATTO FINISH



300x | POLISHED 300mm | WHITE PEARL













White Pearl



300x | polished 300mm | marble















Alcora Marble Beige













06

Monaco Beige

300x | POLISHED 300mm | MARBLE







Marbella Bianco












Breccia White Myra Marfil

08

300x | POLISHED 300mm | MARBLE












Italy Beige



Asiago Maroon



Italy Moccasin



Crown



300x | polished 300mm | marble













French Choco









800x | POLISHED 800mm | MARBLE




















Portoroz Ocre Portoroz Marrone





800x | POLISHED 800mm | MARBLE























Breccia Marrone



800x | POLISHED 800mm | MARBLE















Breccia Avorio



800x | POLISHED 800mm | MARBLEIMARPHILIRIO SERIES





Marphil Bianco



HIGH GLOSS

Rio Verde











20

Rio Gris


POLISHED 800mm | MARBLE I SEA WAVE SERIES | TEIRRA SERIES

















Tierra Blue

Tierra Brown

Tierra Beige



POLISHED 800mm | MARBLE | VALENCIA SERIES | GRANITE SERIES






Royal Granite
















800mm | POLISHED | MARBLE | TEXTURE SERIES



















Vegas Bianco



Vegas Stone





POLISHED 800mm | MARBLE | MARMI SERIES
















Marmi Beige




Marmi Crema




Marmi Gris



Madrid Marble Crema



Marmi Moccasin



300x | POLISHED 300mm | TRAVERTINO





ENHANCED COLOR DENSITY

LONG LASTING GLIMMER





Carrara Oro



Travertino Beige



Dyno Classic



Travertino Silver



800x | polished

800mm | travertino imported inew travertino series













Imported Travertino



New Travertino Crema



Imported Travertino



New Travertino Moccasin



Imported Travertino Moccasin



800mm | POLISHED 800mm | EMPERADOR



















Golden Pothro



Emperador Golden





800x | POLISHED 800mm | BOTTOCHINO













Bottochino



Filito Veinse



Bottochino Classic



Bottochino Marfil



800x | POLISHED 800mm | CEMENTO | STABLETON SERIES
















Stableton Light Beige



Stableton Crema



Stableton Moccasin



Stableton Verde



800mm | POLISHED | CEMENTO | SEA STONE SERIES














Sea Stone Bianco



Sea Stone Caffe



Sea Stone Gris



Sea Stone Crema



800x | polished 800mm | concrete garone series
















Garone Gris



Garone Crema



Garone Nero



800mm | POLISHED 800mm | ONYX SERIES















Lemon Onyx




300x | polished 300mm | onyx series

















Silk Onyx Gold Onyx

800x | polished 800mm | onyx series













Alcora Onyx



White Onyx



Nube Onyx



Moon Marble



800mm | POLISHED | MARFIL SERIES













Miami Marfil



Crema Marfil



Asian Crema Marfil



Mississippi Stone



800mm | POLISHED | MARFIL SERIES














Panama Marfil



Kuwait Crema Marfil



Roman Marble Crema





800mm | POLISHED sky series













Sky Blue




Sky Verde



Sky Crema






300x | polished 300mm | satuario series


















Bianco Stone



56

Volkas


800x | POLISHED 800mm | SATUARIO SERIES











Swiss Rock



Marquino White



Calcutta White



Angel Satuario



800x | POLISHED 800mm | SATUARIO SERIES











Cityline White



Mont Satuario



Crismy Sky



Real Satuario



800mm | POLISHED 800mm | DIANA SERIES











Villa Beige

Diana Nxt



Diana Yellow



Laboorash



800x | <u>Matt</u> 800mm |

















Armani Bianco



Garone Crema Matt



Garone Crema Matt



800mm | MATT 800mm | GEMENTO SERIES











Next Ice







800mm | Texture Series | Metal Series

























Metal Beige



Sky Verde



Metal Wenge



Sky Brown




800mm | MATT 800mm | GRANITE SERIES | JAZZ SERIES
















Jazz Amber





800x | <u>Matt</u> 800mm | wood

















Kalina Wood



Wenge Wood



800x | Lapatto 800mm | brush series




















Snow Silver

Snow Verde



Snow Gris



LAPATTO 800mm | CEMENTO SERIES

















Prism Ivory



Prism Caffe



Prism Verde



Prism Gris





TILES FIXING INSTRUCTIONS

- 1. All the Tiles must be checked prior to fixing for quality, batch no. and choice.
- 2. Plaster the surface of the floor to be tiled and allow curing atleast two weeks before tiling.
- 3. While fixing pick tiles from various boxes alternatively, lay them in the desired patterns and make sure that they give an acceptable blend of colour and design. Please note that shade variation is inherent in manufacturing tiles.
- 4. For fixing tiles we recommend to use the fixing adhesives or equivalent product for the best result.
- 5. For fixing tiles in floor using conventional method, we suggest the following laying instruction:
- A: use cement and sand mortar in the ratio 1:4. Add water to create a consistent paste.
- B: Apply 20-25MM of bedding materials over the floor area of 1.0SQM at a time.
- C: Apply a thin coat of the slurry on the back of the tile to ensure proper and full bedding. Press gently
- for even adherence of the tiles with surface.
- Do not use any heavy materials like iron or hammer to press tile.
- 6: For fixing the tools on Dado, we recommend the use of adhesive or equivalent materials.
- 7: Allow 3-4 days of bed curing after laying tiles and later fill the joints with grout.
- 8: We recommend maintaining a joint gap of 1-2mm between the tiles to allow possible thermal expansion at later stage.
- 9: Please note that company will not accept any liability in case of any problems arising out of adherence of above fixing instructions.

DISCLAIMER: Metro reserves the right to delete and amend either totally or partially, any of the colours, shapes, sizes, references and other technical specifications contained in the catalogue at any time. The colours shown in this catalogue are purely illustrative and limited to printing process. Please refer actual samples before final selection. The details of colours, sizes and references should be verified for photography errors. SHADE & SIZE VARIATIONS are inherent characteristics of ceramics. NO COMNPLAINTS SHALLBE ENTERTAINED ON TILES ALREADY/FIXED.



Helpful tips for better aesthetics look (Laying Instructions)

- 1. For better aesthetic value and for guarantee use it is strongly recommended to provide 3 mm spacer in between the tiles. Without spacer, harmony of tiles might be disturbed.
- 2. Make sure that the design, pattern and the arrow marked on the back side of tiles must be in the same direction.
- 3. Any product from digitile must be installed (laid) in the same format. i.e. 800x800mm size. For the particular series customized size application is not possible.
- * THE COMPANY SHALL NOT BEAR ANY LIABILITY FOR THE PROBLEMS OUT OF NON-FULFILLMENT OF LAYING THE INSTRUCTIONS AS ABOVE.

- * All technical specifications in this catalogue are for premium grade materials only.
- * SHADE/SIZE VARIATION are inherent characteristics to ceramics. Certain products purposely have variations that are the parts of designs and the process. The same have been indicated.
- * It is recommended to blend tiles by mixing tiles from various boxes and check for natural hue before fixing.
- Company's liability is also limited to the material supplied by the company; no other claim is entertained under any circumstances.
- * No complaints shall be entertained regarding the decoration on tiles, unless created by METRO.

Sr. No.	Pictogram	Property	International Std. ISO 13006/EN 176 Group	GVT Tiles Value	Method of Testing
1		Deviation in length	+/-0.6%	+/-0.3%	ISO 10545 Pt 2
2		Deviation in thickness	+/-5%	+/-3%	ISO 10545 Pt 2
3	Ō	Straightness of sides	+/-0.5%	+/-0.1%	ISO 10545 Pt 2
4	Ţ	Rectangularity	+/-0.6%	+/-0.2%	ISO 10545 Pt 2
5	>− €	**Surface flatness	+/-0.5%	+/-0.2%	ISO 10545 Pt 2
6	% .	Water absorption	<0.5%	<0.05%	ISO 10545 Pt 3
7	<u>**</u>	*Mohs hardness	>6	>6	EN 101
8	<u>↓</u>	Flexural strength	>35N/mm²	³ 46N/mm ²	ISO 10545 Pt 4
9	<u>*</u>	Abrasion resistance	<175 mm²	<144 mm³	ISO 10545 Pt 6
10	<i>F</i>	**Skid resistance (Friction co efficient)	>0.4	>0.4	ISO 10545 Pt 17
11	?	Breaking strength	1113 N	2800 N	ISO 10545 Pt 4
12	*	Frost resistance	Frost proof	Frost proof	ISO 10545 Pt 12
13		Chemical resistance	No Damage	No Damage	ISO 10545 Pt 13
14	**	Thermal shock resistance	No Damage	No Damage	ISO 10545 Pt 9
15	*	Colour resistance	No Damage	No Damage	DIN 51094
16	-	Stain resistance	Resistance	Resistance	ISO 10545-14
17	6 *	Moisture expansion	Nil	Nil	ISO 10545-10
18	++	**Glossiness	-	Min.80% reflection	Glossmeter
19		Resistance to Surface Abrasion (of tiles intended for use on Floors)***	Abrasion class shall be specified by the manufacturer	PEI Group V	ISO-10545-7 IS:13630-11

PACKING DETAILS

Sr. No.	Size	No. of Tiles Per Box	Coverage Area in Sq. Mt.
1	800x800mm	2pcs.	1.28 Sq. Mtr.

DISCLAIMER: Tiles reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime, the colors shown of tiles in this catalogue are purely illustrative and limited to printing process, please refer actual sample before final selection, the details of sizes, colors, references should be verified for typographical errors.

APPLICATIONS





















PLIRS & BARS





